


PROFILI UAP LAMINATI/SALDATI


(misure alternative su richiesta)
Flange parallele



Dimensioni				
b	h	s	t	Kg/m
50	25	3	3	2,30
60	30	5	5	4,37
80	40	5	5	6,00
100	50	5	5	7,65
120	60	6	6	11,11
150	75	6	6	14,00

PROFILI UNP LAMINATI


(misure alternative su richiesta)
Flange coniche



Dimensioni				
b	h	s	t	Kg/m
20	10	3	3,5	0,86
30	15	4	4,5	1,78
30	33	5	7	4,33
40	20	3	3,5	2,05
40	20	4	4,5	2,30
40	35	5	7	4,87
50	25	5	6	3,90
50	38	5	7	5,59
60	30	6	6	5,45
65	42	5,5	7,5	7,09
80	45	6	8	8,64
100	50	6	8,5	10,60
120	55	7	9	13,35
140	60	7	10	16,01
160	65	7,5	10,5	18,84

PROFILI UNP SALDATI

(misure alternative su richiesta)
Flange parallele AISI 304 - AISI 316




Dimensioni				
b	h	s	t	Kg/m
80	45	6	8	8,64
100	50	6	6	10,60
120	55	7	9	13,35
140	60	7	10	16,01
150	75	6	6	14,00
160	65	7,5	10,5	18,84
180	70	8	11	22,00
200	75	8,5	11,5	25,28
220	80	9	12,5	29,40
240	85	9,5	13	33,21
260	90	10	14	37,92
300	100	10	16	46,16

TRAVE HEA AD ALI PARALLELE

(possibilità taglio a misura - misure oltre L. 6.000 su richiesta)

AISI 304
AISI 316




Designaz.	Dimensioni				
	h	b	s	t	Kg/m
100	96	100	5	8	16,70
120	114	120	5	8	19,90
140	133	140	5,5	8,5	24,70
160	152	160	6	9	30,40
180	171	180	6	9,5	35,50
200	190	200	6,5	10	42,30
220	210	220	7	11	50,50
240	230	240	7,5	12	60,30
260	250	260	7,5	12,5	68,20
280	270	280	8	13	76,40
300	290	300	8,5	14	88,30
320	310	300	9	15,5	97,60
340	330	300	9,5	16,5	105
360	350	300	10	17,5	112
400	390	300	11	19	125
450	440	300	11,5	21	140
500	490	300	12	23	155
550	540	300	12,5	24	166
600	590	300	13	25	178
650	640	300	13,5	26	190
700	690	300	14,5	27	204
800	790	300	15	28	224
900	890	300	16	30	252
1000	990	300	16,5	31	272

TRAVE HEB AD ALI PARALLELE

(possibilità taglio a misura - misure oltre L. 6.000 su richiesta)

AISI 304
AISI 316



Designaz	Dimensioni				
	h	b	s	t	Kg/m
100	100	100	6	10	20,40
120	120	120	6,5	11	26,70
140	140	140	7	12	33,70
160	160	160	8	13	42,60
180	180	180	8,5	14	51,20
200	200	200	9	15	61,30
220	220	220	9,5	16	71,50
240	240	240	10	17	83,20
260	260	260	10	17,5	93
280	280	280	10,5	18	103
300	300	300	11	19	117
320	320	300	11,5	20,5	127
340	340	300	12	21,5	134
360	360	300	12,5	22,5	142
400	400	300	13,5	24	155
450	450	300	14	26	171
500	500	300	14,5	28	187
550	550	300	15	29	199
600	600	300	15,5	30	212
650	650	300	16	31	225
700	700	300	17	32	241
800	800	300	17,5	33	262
900	900	300	18,5	35	291
1000	1000	300	19	36	314

ACCIAIO
INOX